

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): An apparatus for fusing toner with a sheet, comprising:

- an electricity storage device;
- a heating unit configured to generate heat based on electric power supplied from said electricity storage device;
- a fusing member configured to fuse the toner with the sheet through heat applied by said heating unit; and
- a control unit which changes a rated power of said heating unit, wherein said heating unit is operative to simultaneously receive electric power from said electricity storage device and electric power supplied from a commercial power supply.

Claim 2 (Original): The apparatus as claimed in claim 1, wherein said heating unit includes a plurality of heating units, and said control unit provides first couplings between said heating units and said electricity storage device in a first operation mode and second couplings between said heating units and said electricity storage device in a second operation mode.

Claim 3 (Original): The apparatus as claimed in claim 2, wherein the first operation mode corresponds to a time period when said fusing member is heated from a temperature with no heat applied by said heating unit to a temperature suitable for fusing of the toner, and the second operation mode corresponds to a time period when heat is deprived from said fusing member by the sheet.

Claim 4 (Original): The apparatus as claimed in claim 2, wherein said heating units are connected in parallel in the first operation mode, and are connected in series in the second operation mode.

Claim 5 (Original): The apparatus as claimed in claim 2, wherein all said heating units receive the electric power in the first operation mode, and at least one but not all of said heating units receives the electric power in the second operation mode.

Claim 6 (Original): The apparatus as claimed in claim 1, wherein said electricity storage device is a capacitor.

Claim 7 (Currently Amended): An apparatus for fusing toner with a sheet, comprising:

a heating unit configured to generate heat;

a fusing member configured to fuse the toner with the sheet through heat provided by said heating unit; and

a control unit which controls said heating unit to generate a controlled quantity of heat, which is a first quantity in a first operation mode and is switched between a second quantity and a third quantity in a second operation mode, the first quantity being larger than the second quantity that is larger than the third quantity, wherein said heating unit is operative to simultaneously receive electric power from an electricity storage device and electric power supplied from a commercial power supply.

Claim 8 (Original): The apparatus as claimed in claim 7, wherein said heating unit includes a first heating unit that receives electric power from a commercial AC power supply and a second heating unit that receives electric power from an electricity storage device.

Claim 9 (Original): The apparatus as claimed in claim 8, wherein the first operation mode corresponds to a time period when said fusing member is heated from a temperature with no heat provided by said heating unit to a temperature suitable for fusing of the toner, and the second operation mode corresponds to a time period when heat is deprived from said fusing member by the sheet.

Claim 10 (Currently Amended): An apparatus for forming an image, comprising:
an electrophotography unit configured to create a toner image through electrophotography and transfer the toner image onto a sheet; and
a fuser configured to fuse toner of the toner image with the sheet, wherein said fuser includes:
an electricity storage device;
a heating unit configured to generate heat based on electric power supplied from said electricity storage device;
a fusing member configured to fuse the toner with the sheet through heat applied by said heating unit; and
a control unit which changes a rated power of said heating unit, wherein said heating unit is operative to simultaneously receive electric power from said electricity storage device and electric power supplied from a commercial power supply.

Claim 11 (Original): The apparatus as claimed in claim 10, wherein said heating unit includes a plurality of heating units, and said control unit provides first couplings between said heating units and said electricity storage device in a first operation mode and second couplings between said heating units and said electricity storage device in a second operation mode.

Claim 12 (Original): The apparatus as claimed in claim 11, wherein the first operation mode corresponds to a time period when said fusing member is heated from a temperature with no heat applied by said heating unit to a temperature suitable for fusing of the toner, and the second operation mode corresponds to a time period when heat is deprived from said fusing member by the sheet.

Claim 13 (Original): The apparatus as claimed in claim 11, wherein said heating units are connected in parallel in the first operation mode, and are connected in series in the second operation mode.

Claim 14 (Original): The apparatus as claimed in claim 11, wherein all said heating units receive the electric power in the first operation mode, and at least one but not all of said heating units receives the electric power in the second operation mode.

Claim 15 (Original): The apparatus as claimed in claim 10, wherein said electricity storage device is a capacitor.

Claim 16 (Currently Amended): An apparatus for forming an image, comprising:

an electrophotography unit configured to create a toner image through electrophotography and transfer the toner image onto a sheet; and

a fuser configured to fuse toner of the toner image with the sheet, wherein said fuser includes:

a heating unit configured to generate heat;

a fusing member configured to fuse the toner with the sheet through heat provided by said heating unit; and

a control unit which controls said heating unit to generate a controlled quantity of heat, which is a first quantity in a first operation mode and is switched between a second quantity and a third quantity in a second operation mode, the first quantity being larger than the second quantity that is larger than the third quantity, wherein said heating unit is operative to simultaneously receive electric power from an electricity storage device and electric power supplied from a commercial power supply.

Claim 17 (Original): The apparatus as claimed in claim 16, wherein said heating unit includes a first heating unit that receives electric power from a commercial AC power supply and a second heating unit that receives electric power from an electricity storage device.

Claim 18 (Original): The apparatus as claimed in claim 17, wherein the first operation mode corresponds to a time period when said fusing member is heated from a temperature with no heat provided by said heating unit to a temperature suitable for fusing of the toner, and the second operation mode corresponds to a time period when heat is deprived from said fusing member by the sheet.

Claim 19 (Currently Amended): An apparatus for fusing toner with a sheet,
comprising:

an electricity storage device;

heating means for generating heat based on electric power supplied from said
electricity storage device;

a fusing member configured to fuse the toner with the sheet through heat applied by
said heating unit; and

means for changing a rated power of said heating means, wherein said heating unit is
operative to simultaneously receive electric power from said electricity storage device and
electric power supplied from a commercial power supply.